

pH/

/

**СРС-105**

## Технические характеристики

### По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Россия (495)268-04-70

Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Казахстан (7172)727-132

Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93

## WATERPROOF POCKETSIZE pH / CONDUCTIVITY / SALINITY METER CPC-105

Enables measurements of pH, redox potential, conductivity, salinity and temperature.

### Characteristic features:

- Pocket-size, easy in use meter with good parameters.
- Designed for field work.
- Fully waterproof (IP-67).
- It is possible to use one head for pH and conductivity measurements or to choose the head according to requirements.



*CPC-105 with GPC-105 head*

### Types of heads:

- for pH measurement in clear water and conductivity measurement - **GCP-105**,
- for pH measurement in water with sediment, sewage, soil, paste and cream - **GPX-105s**,
- for redox potential measurement - **GR-105k**,
- for conductivity measurement – **GC-105**.

### In the pH measurement mode:

- 1 to 3 point calibration.
- Automatic detection of buffer solutions 4,00, 7,00, 9,00 pH optionally: 4,00, 7,00, 10,00 pH.
- Automatic temperature compensation.



*GPX-105s head with sleeve for soil or semi-solid substance*

Choosing the appropriate head type and its maintenance are crucial for long working period. **GPX-105s** head enables measurements in various samples of both pure and contaminated liquids and semi-solids. Its unusual construction ("intermediate junction") protects the real junction (diaphragm) of the electrode against clogging, ensures stable measurements in

these types of liquids or semi-liquid mass, in which other electrodes stop working quickly. When properly handled, the electrode may be efficient for several years.

### Conductivity measurement function:

- 5 ranges switched automatically.
- Wide measuring range enables measurements in liquids with conductivity up to 100 mS/cm and salinity up to 60 g/l converted to NaCl.
- Conductivity is converted to salinity according to the real dependence, instead of a constant coefficient.
- Reference temperature may be chosen between 25°C and 20°C (e.g. for measurements in honey).
- Automatic temperature compensation in range 0 ÷ 50 °C.
- Constant  $\alpha$  coefficient = 2 % / °C.
- Calibration of the conductivity cell by entering the constant K or in standard solutions.
- Steel electrodes enable measurements in liquid with sediment or oil.

### Other features:

- Battery-powered (3 x LR44).
- Long-lasting work with one battery set (about 200 hours of continuous working).
- Warranty: 24 months.

### Technical Data

Function	pH	mV	Conductivity / salinity	Temperature
<b>Range</b>	0.00 ÷ 14.00 pH	±1200 mV	0 ÷ 100 mS/cm (autorange) / 0 ÷ 60 g/l NaCl	-5 ÷ 60 °C
<b>Accuracy (±1 digit)*</b>	±0.02 pH*	±1mV *	< 10 mS/cm ± 1%* < 50 mS/cm ± 2%* > 50 mS/cm ± 5 %* / salinity (NaCl) < 25 g/l: ±2.5 %* > 25 g/l: ±5%*	±0.8 °C**, at 25 °C ±0.4 °C**
<b>Temp. compensation</b>	-5 ÷ 60 °C	-	0 ÷ 50 °C	-
<b>Input impedance</b>	>10 <sup>12</sup> Ω	>10 <sup>12</sup> Ω	-	-
<b><math>\alpha</math> coefficient</b>	-	-	Constant: 2% / °C	-
<b>Power supply</b>	3x LR44 battery			
<b>Weight</b>	65 g			
<b>Dimensions (mm)</b>	L = 160 $\phi$ = 26, with GPX-105s head: L = 220, $\phi$ = 26			

\* The accuracy of the meter only. \*\* The accuracy with the standard temperature sensor.

**По вопросам продаж и поддержки обращайтесь:**

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	