

рН-метры СР-502

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

LABORATORY pH-METER CP-502

Measures accurately: pH, redox potential (mV) and temperature. The most recent model has been improved with more possibilities providing easier operation.

Characteristic features:

- Built-in thermal printer (60 mm).
- Equipped with large, easy-to-read backlit LCD display with brightness control.
- "HOLD" function to freeze the result on the display.
- Signalisation of the result stabilisation with the "READY" symbol and a sound.
- Possibility of sending a calibration report to a PC - up to 10 last calibrations.
- Depending on the kind of applied pH electrode it may be used for clean water, sewage, soil measurements etc.
- Calibration of the pH electrode: $1 \div 5$ points.
- Automatic buffers detection, their value may be changed by the user.
- Automatic correction of the pH sample solution value changes, along with the temperature changes for NIST standards, what eliminates the necessity of the temperature adjustment.
- Automatic or manual temperature compensation.
- Memory of 3 electrodes' characteristics makes changing them easy.
- Automatic evaluation of the electrode's condition.
- Readout of the pH electrode condition and data - the zero offset and slope percentage may be checked.



- Precise redox potential measurement (accuracy 0.1 mV).
- Possibility of automatic calculation of the redox potential result in reference to the standard hydrogen electrode.
- Possibility of mV measurement in relation to the set or measured reference potential (Vref).
- Internal clock with date.
- Storing of the pH electrode calibration date.
- Internal datalogger for up to 4000 sets of results collected in series or singly with temperature, time and date.
- USB output for a PC.
- Change of the date protected by a password
- The data transmission software enables printout of the data in a form protected against any changes.
- The meter meets the GLP requirements
- 24 months of warranty for the meter.
- Pendrive with software for data transmission and collection and user's manual in English included in the set.

The standard set includes: **CT2B-121** temperature probe with **Pt-1000B** resistor and **EPS-1** pH electrode for measurements in clear water, which should not be used in other types of liquid. Measurements in liquid with sediment should be made with use of **IJ44A** pH electrode, which enables measurements in various samples of both pure and contaminated liquids and semi-solids. Its unusual construction ("intermediate junction") protects the real junction (diaphragm) of the electrode against clogging, ensures stable measurements in these types of liquids or semi-liquid mass, in which other electrodes stop working quickly. When properly handled, the electrode's lifetime is longer than the standard electrodes.

In comparison with the **CP-505** meter, the **CP-502** model is equipped with a smaller display.

Technical Data

Function	pH	Redox / mV	Temperature
Range	-6.000 ÷ 20.000 pH	±1999.9mV	-50.0 ÷ 199.9 °C
Resolution	0.001 pH or 0.01 pH	0.1mV	0.1 °C
Accuracy* (± 1 digit)	±0.002 pH*	±0.1 mV*	±0.1 °C**
Temp. compensation	-5 ÷ 110.0 °C	-	-
Input impedance	>10 ¹² Ω	>10 ¹² Ω	-
Printer	thermal, width = 60 mm		
Power supply	6 V / 2 A power adapter		
Weight	650 g		
Dimensions (mm)	L=200, W=150, H=20/50		
PC connection	USB		

*The accuracy of the meter only.

**The accuracy of the meter only. The total error includes the meters and probe's accuracy.

In the range 0 ÷ 100 °C the acceptable error of the probe with Pt-1000B resistor: ±0.8 °C, with Pt-1000A resistor: ±0.35 °C.

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93